

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/085,187	02/27/2002	Joseph A. Kwak	I-2-0203.4US	3548	
VOLPE AND KOENIG, P.C. DEPT. ICC			EXAMINER		
			RYMAN, DANIEL J		
UNITED PLAZ 30 SOUTH 177	ZA, SUITE 1600 TH STREET	ART UNIT	PAPER NUMBER		
PHILADELPH	IA, PA 19103	2616			
		·			
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MONTHS		02/09/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		\mathcal{D}				
	Application No.	Applicant(s)				
	10/085,187	KWAK, JOSEPH A.				
Office Action Summary	Examiner	Art Unit	_			
	Daniel J. Ryman	2616				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIO 136(a). In no event, however, may a reply be ti will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDON	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).				
Status		•				
1) Responsive to communication(s) filed on 04 J	anuary 2007.					
2a)⊠ This action is FINAL . 2b)□ This	∑ This action is FINAL. 2b) This action is non-final.					
3) Since this application is in condition for allowa	nce except for formal matters, pr	osecution as to the merits is				
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.				
Disposition of Claims						
4) ☐ Claim(s) 1-6 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-6 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or						
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 11.	epted or b) objected to by the drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119	· .					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 12/4/06	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate				
	_					

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Application/Control Number: 10/085,187 Page 2

Art Unit: 2616

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-6 have been considered but are moot in view of the new ground(s) of rejection.

Information Disclosure Statement

2. The information disclosure statement filed 4 December 2006 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claims 1-6 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 5. Claim 1 recites the limitation "the data blocks" in line 5. There is insufficient antecedent basis for this limitation in the claim. For the purposes of this Office Action, Examiner will interpret "formatting the received data into packets for transmission, the packets being smaller in size than the data blocks" as "formatting the received data into packets for transmission, each packet comprising a portion of the received data."

Claim Rejections - 35 USC § 103

Art Unit: 2616

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 3

- 7. Claims 1, 2, and 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schramm et al. (USPN 6,208,663), of record, in view of Dirschedl et al. (USPN 6,262,994), of record, in further view of Hunzinger et al. (USPN 7,164,654) in further view of Dahlman et al. (USPN 6,907,005).
- 8. Regarding claim 1, Schramm discloses a method for adjusting data modulation at a subscriber unit (col. 5, lines 47-58, where both the mobile station, i.e. "subscriber," and the base station support multiple modulation schemes), comprising: receiving data at a transmitter for transmission (col. 5, lines 59-65, where an LLC frame is received at the transmitter for transmission); formatting the received data into packets for transmission, each packet comprising a portion of the received data and each packet having a particular type of encoding/data modulation (col. 5, lines 59-65, where the LLC is formatted into RLC blocks, where the modulation scheme for transmission of an RLC block changes depending on the circumstances); appending an error check sequence for each packet (Fig. 2 and col. 3, line 16, where each packet has a block check sequence appended thereto); transmitting the packets (col. 5, lines 47-58, where it is inherent that a "transmitting entity" transmits to a "receiving entity"); storing the packets for retransmission in a buffer memory incorporated into the transmitter (col. 7, lines 14-20, where "retriev[ing] the FEC encoded block identified in a negative ARQ acknowledgement from storage" indicates that the packets are stored for retransmission in a memory incorporated

Art Unit: 2616

into the transmitter, and where it is implicit, or at the very least strongly suggested, that the storage is a buffer since buffers are storage devices for short-term storage of packets); monitoring a return channel for receipt of an acknowledgment for each packet that that packet has been received (col. 6, lines 60-67, where the receiver "signals [to transmitter] for retransmission of block 40 using any well known ARQ routine" and where Examiner takes official notice that sending acknowledgements for each properly received packet is a "wellknown ARQ routine"); retransmitting an original or selectively modified packet at the transmitter (col. 7, lines 14-20, where the system "retrieves the FEC encoded block identified in a negative ARQ acknowledgement from storage" such that an "original or selectively modified packet" is retransmitted), if an acknowledgment for that packet has not been received within a predetermined period of time (where a retransmission is sent upon receipt of a negative ARQ acknowledgement, col. 7, lines 14-17, and where ARQ signaling is performed according to well known ARQ routines, col. 6, lines 60-67, such that a packet is retransmitted if an acknowledgement for that packet has not been received given, as outlined above, that a positive ARQ acknowledgement comprises a ACK signal); collecting retransmission statistics (col. 7, lines 6-9, where the transmitter counts the number of requests for retransmitted blocks, i.e. "collects retransmission statistics"); and adjusting the particular encoding/data modulation using the collected retransmission statistics, wherein if the collected retransmission statistics indicate a low number of retransmissions, a higher capacity encoding/modulation scheme is selected as the particular encoding/data modulation and if the collected retransmission statistics indicate a high number of retransmissions, a lower capacity encoding/data modulation scheme is selected as the particular encoding/data modulation (col. 7, lines 1-9, where if an error rate is high, as indicated

Art Unit: 2616

by a high number of requests for retransmission, then the transmitter will select a modulation "designed to have improved noise and/or interference resistance");

Schramm does not expressly disclose adjusting the particular encoding/data modulation of each packet. Rather Schramm teaches that adjusting the particular encoding/data modulation for only retransmitted packets (col. 3, line 65-col. 4, line 3). Dirschedl teaches, in a system for adjusting the encoding/data modulation of packets based on error rates, adjusting the particular encoding/data modulation of each packet because this optimizes the data transmission (col. 1, lines 30-41). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to adjust the particular encoding/data modulation for each packet in order to optimize the data transmission.

Schramm in view of Dirschedl does not expressly disclose limiting the number of retransmissions to an operator-defined integer value or clearing the buffer memory after the integer value is reached. Hunzinger teaches, in a wireless ARQ system, limiting the number of retransmissions to an operator-defined integer value (col. 7, lines 13-23, where the number of retransmissions sent by a transmitting entity is limited by a MAR value (which is presumably an integer since a transmitter cannot perform a fraction of a retransmission), and col. 11, lines 24-46, where the MAR values are set by the transmitter, which is broadly interpreted to be an "operator" since the transmitter "operates" the system, such that the MAR values are "operator-defined"). Hunzinger does this to minimize latency created by the continued re-transmission of messages (col. 7, lines 54-62). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to limit the number of retransmissions to an operator-defined integer value to minimize latency created by the continued re-transmission of messages.

Hunzinger further discloses that the number of retransmissions may be limited by the amount of memory available (col. 11, lines 29-32), which suggests that available memory space should be maximized whenever possible. It is implicit that packets whose integer value has been reached are "superfluous" since the packet will never be transmitted. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to clear the memory of packets whose integer value has been reached to maximize the amount of memory space available for other retransmissions.

Schramm in view of Dirschedl in further view of Hunzinger does not expressly disclose combining the retransmitted original or selectively modified packet with the transmitted packets. Dahlman teaches, in a wireless ARQ system, combining the retransmitted original or selectively modified packet with the transmitted packets to make the ARQ scheme more robust (col. 8, lines 26-35). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the retransmitted original or selectively modified packet with the transmitted packets to make the ARQ scheme more robust.

- 9. Regarding claim 2, Schramm in view of Dirschedl in further view of Hunzinger in further view of Dahlman discloses that the particular type of encoding/data modulation is forward error correction (FEC) (Schramm: col. 5, lines 47-58, where FEC varies in addition to or independent of modulation).
- 10. Regarding claim 4, Schramm in view of Dirschedl in further view of Hunzinger in further view of Dahlman suggests that the packets are transmitted using a single carrier having a frequency domain equalization (SC-FDE) air interface (Schramm: col. 4, lines 49-56, where the invention is usable in FDMA systems and any hybrids thereof).

Art Unit: 2616

11. Regarding claim 5, Schramm in view of Dirschedl in further view of Hunzinger in further view of Dahlman discloses that return channel is a fast feedback channel (Schramm: col. 6, lines 60-67, where the TDM control channel provided for signaling for retransmission is, as broadly defined, a "fast feedback channel" since the control channel is devoted to signaling for retransmission) when the packets are transmitted using a code division multiple access (CDMA) air interface (Schramm: col. 4, lines 49-56, where the invention is usable in CDMA systems).

Page 7

- 12. Regarding claim 6, Schramm in view of Dirschedl in further view of Hunzinger in further view of Dahlman discloses identifying a packet as having an unacceptable error rate responsive to receipt of a negative acknowledgment (Schramm: col. 7, lines 14-20).
- 13. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Schramm et al. (USPN 6,208,663), of record, in view of Dirschedl et al. (USPN 6,262,994), of record, in further view of Hunzinger et al. (USPN 7,164,654) in further view of Dahlman et al. (USPN 6,907,005) as applied to claim 2 above, and further in view of Barton (USPN 6,499,246), of record.
- 14. Regarding claim 3, Schramm in view of Dirschedl in further view of Hunzinger in further view of Dahlman does not expressly disclose that the packets are transmitted using an orthogonal frequency division multiple access (OFDMA) air interface and the FEC encoding/data modulation adjusting is performed in addition to selective nulling of subchannels in an OFDMA set. However, Schramm in view of Dirschedl in further view of Hunzinger in further view of Dahlman does disclose that the system can be used in a variety of types of access methodologies (Schramm: col. 4, lines 49-56). Barton teaches, in a wireless system employing FEC (col. 8, line 64-col. 9, line 3), that OFDM "is well-known in the industry...[as] an effective means of mitigating Intersymbol Interference (ISI)" (col. 1, lines 29-34). Therefore, it would have been

Art Unit: 2616

obvious to one of ordinary skill in the art at the time of the invention to use an OFDMA system in order to mitigate Intersymbol Interference. Barton also teaches that it is well known to null subchannels in an OFDM system in order to lower PAR (col. 11, lines 34-38). Examiner notes that Applicant does not specifically define "nulling of subchannels" in the claim such that Examiner is free to interpret "nulling of subchannels" in any manner, as long as the interpretation is reasonable. It would have been obvious to one of ordinary skill in the art at the time of the invention to perform FEC encoding/data modulation adjusting in addition to selective nulling of subchannels in an OFDMA set in order to perform data correction (FEC) and lower PAR (selective nulling) in an OFDMA system.

Conclusion

15. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2616

Page 9

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel J. Ryman whose telephone number is (571)272-3152. The examiner can normally be reached on Mon.-Fri. 8:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (571)272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Daniel J. Ryman Examiner Art Unit 2616

DIK

HUY D. VU

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600